1. IDENTIFICATION

Product Identifier: CITRO POWER Date of Revision: January 31, 2018

Product Code: 1305

Other Name(s): Distributed By:

Recommended Use and Restrictions on Use:

Manufactured By: Ostrem Chemical Co. Ltd. Phone: 780-440-1911

2310 - 80th Avenue NW In Case of Emergency Only, Phone

Edmonton, Alberta, Canada T6P 1N2 CANUTEC: 613-996-6666

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 2A

Flammable Liquids - Category 3

Label Elements:

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statement(s): Causes serious eye irritation.

Flammable liquid and vapour.

Precautionary Statement(s):

Prevention: Wash hands thoroughly after handling.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves, protective clothing, and eye/face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Storage: Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Conc.	CAS#	Common Names
dodecylbenzene isopropylamine sulfonate	1 - 5%	26264-05-1	
trisodium nitrilotriacetate	1 - 5%	5064-31-3	
triethanolamine	1 - 5%	102-71-6	
d-limonene	5 - 10%	5989-27-5	
glycol ether DB	3 - 7%	112-34-5	

4. FIRST-AID MEASURES

Necessary Measures:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove to fresh air. Seek medical attention if symptoms persist.

CITRO POWER Page 1 of 4

Most important symptoms, both acute and delayed:

Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate oxides of carbon and nitrogen.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Wash hands thoroughly after handling.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep cool.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

 Ingredient:
 Limit:

 dodecylbenzene isopropylamine sulfonate
 not available

 trisodium nitrilotriacetate
 not available

 triethanolamine
 not available

 d-limonene
 not available

 glycol ether DB
 not available

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.):orange liquidOdour:citrus odourOdour threshold:not availablepH:8.5 - 9.0Melting/Freezing point:not available

CITRO POWER Page 2 of 4

Initial boiling point and range: not available

Flash point: 48 C

Evaporation rate: not available not available Flammability (solid, gas): Upper/lower flammability or explosive limits: not available not available Vapour pressure: not available Vapour density: Relative density (specific gravity): 1.000 Solubility(ies): soluble not available Partition co-efficient: n-octanol/water: Auto-ignition temperature: not available not available **Decomposition temperature:**

10. STABILITY AND REACTIVITY

Reactivity:

Viscosity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

not available

Conditions to avoid (e.g.: static discharge, shock or vibration):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

not available

Incompatible materials:

Oxidizers / Acid

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: May cause respiratory tract irritation.

Ingestion:May be harmful if swallowed.Eye contact:Causes serious eye irritation.Skin contact:May cause mild skin irritation.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - single exposure:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

CITRO POWER Page 3 of 4

dodecylbenzene isopropylamine sulfonate

trisodium nitrilotriacetate

triethanolamine

d-limonene

glycol ether DB

Oral LD50: 1300 mg/kg (rat) Oral LD50: 1450 mg/kg (rat) Oral LD50: 4000 mg/kg (rat)

not available

LD50 = 5560 ORAL RAT

Other Toxicological Information on Ingredients:

trisodium nitrilotriacetate
Suspected of causing cancer.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: NON-REGULATED

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation: January 30, 2017

Date of Revision: January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

End of Document

Distributed by: Western Ultrasonics Inc.

7363 - 42 Street

Edmonton, AB T6B 2T1

(877)373-5858 (toll free)

(780)462-5858 Voice

CITRO POWER Page 4 of 4